ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 8			
	700-99-D-9		ER/AGREEMENT NO.	2. DELIV	ERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2004JUN30			JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4
6. ISSUED) BY			CODE	W56HZV	7. ADMINIST	TERED BY (If other	than 6)	SEE S		0101A	8. DELIVERY FOB
TACOM WARREN AMSTA-AQ-AHPC SHIRLEY GHARAGOZLOO (586)574-7163 WARREN, MICHIGAN 48397-5000 EMAIL: GHARAGOS@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL				BUR 191	DCMA HUNTSVILLE BIRMINGHAM GROUP BURGER PHILLIPS CENTER 1910 THIRD AVE. NORTH, RM 201 BIRMINGHAM, AL 35203-2376					DESTINATION X OTHER (See Schedule if other)		
9. CONTR	ACTOR			CODE	0B8S3	FACIL		10. DE		11. X IF BUSINESS IS		
	•					•	•	(YY		SMALL		
	CUMMIN 4155 Q		ENGINE COMPANY A ST WAY	AFTERMAF	ŁKET			SEE		SMALL		
NAME AND ADDRESS		S,	TN. 38115-5017						SCOUNT TER 30 Days	EMS		DISADVANTAGED WOMAN-OWNED
	•						•	13. MA	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
14. SHIP T		JUSI	INESS: Large Bus	siness E	erforming	-	T WILL DE MADE	•	Block 15		DE HO0229	MARK ALL
	SCHEDULE			CODE		DFA DFA P.O	PAYMENT WILL BE MADE BY DFAS-COLUMBUS CENTER DFAS-CO/SOUTH ENTITLEMENT OPERATION P.O. BOX 182264 COLUMBUS, OH 43218-2264 BLOCK BLOCK HQ0338 PACKA PAPE IDENT NUM BLOCK BLOCK					
16. TYPE	DELIVERY/ CALL	Х	THIS DELIVERY ORDER	R IS ISSUED	ON ANOTHER (GOVERNMENT AG	GENCY OR IN ACCOR	DANCE WI	TH AND SUBJE	ECT TO TERMS AND CON	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE		Reference your	Oral		-	s specified herein.	, Da	ated			
										MBERED PURCHASE AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE If this box is marked, supplier must sign Acceptance and return the following number of copies:							TITLE		SIGNED MMMDD)			
	SCHEDULE	APPI	ROPRIATION DATA/L(OCAL USE								
	18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE					20. QUANTITY ORDERED/ ACCEPTED*	Y	21. UNIT	22. UNIT PRICE	23. AMOUNT		
	CONT F: KINI	TRAG ixed	HEDULE CT TYPE: d-Price Economi F CONTRACT: ly Contracts and		,	nt						
	accepted by the			4. UNITED	STATES OF A						25. TOTAL	\$2,050,000.00
If differen	uantity ordered, t, enter actual qu rdered and enci	uanti	ity accepted below	BY:		NNIS /SIGN TACOM.ARMY	NED/ 7.MIL (586)574			RDERING OFFICER	26. DIFFERENCES	3
□ `	NTITY IN COLU	7						a 110mm				
INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONT b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMME		d. PRINTEI	D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT	
e. MAILI	NG ADDRESS ()FA	UTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.	1	29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						PARTIA	AL	32. PAID BY 33. AMOUN			ERIFIED CORRECT FOR	
					31. PAYMENT	Г			34. CHECK NU	MBER		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT. a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER						СОМРІ	LETE			25 PH L OF L	INNIC NO	
a. DATE	MMDD)		b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	PARTIA FINAL	AL			35. BILL OF LA	ADING NO.
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD) 40. TOTAL CONTAINERS 41. S/R ACCOUNT NUMBERS						OUNT NUMBER	42. S/R VOUCH	ER NO.				

	Page 2 of 8
CONTINUATION SHEET PIIN/SIIN SP0700-99-D-9727/BR29 MOD/AMI	

Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET

SUPPLEMENTAL INFORMATION

Award of this Delivery Order is tied to unit price and delivery lead-time quoted on 11 May 2004 by Jay Henderson, Marketing Manager for Government Products.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN SP0700-99-D-9727/BR29 MOD/AMD

Page 3 of 8

Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2815-01-280-2961 FSCM: 9Y639 PART NR: 12363270 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	100	EA	\$ 20,500.00000	\$2,050,000.00
	NOUN: ENGINE, DIESEL PRON: EH4Y7081EH PRON AMD: 02 ACRN: AA AMS CD: 060011				
	DRESSED 6CTA 8.3 CUMMINS RECON DIESEL ENGINE, PART NUMBER DR25361RX, WILL BE PROVIDED IN LIEU OF THE ORDNANCE PART NUMBER SPECIFIED ABOVE, WHICH IS NO LONGER AVAILABLE THROUGH NEW ITEM PRODUCTION.				
	THE RECON ENGINE WILL CARRY A 2-YEAR WARRANTY WITH UNLIMITED MILEAGE.				
	THESE ENGINES WILL BE SUBJECT TO ANY CORRECTIVE ACTION OR CONFIGURATION CHANGE IDENTIFIED BY THE TRIAL INSTALLATION WHICH TOOK PLACE AT CAMP DODGE, IA UNDER DELIVERY ORDER DAAE07-906-D-T024/0070.				
	GOVERNMENT TECHNICAL DATA WILL BE USED FOR CONTAINER REFERENCE ONLY.				
	(End of narrative D001)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	The place of performance for this order is:				
	Cummins, S. de R.L. de C.V. (CAGE SK183) San Luis Potosi, Mexico				
	The inspection/acceptance point for this Order is as follows:				
	Bryant Products, Inc. (CAGE 4X711) 816 F Ave., Freeman Field				

Reference No. of Document Being Continued PIIN/SIIN SP0700-99-D-9727/BR29 MOD/AMD

Page 4 of 8

Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	Seymour, IN 47274				
	(End of narrative F001)				
	Deliveries or Performance DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 W56HZV4082T843 SW3227 J 2 DEL REL CD				
	001 100 28-FEB-2005				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS				
	(SW3227) DEF DIST DEPOT RED RIVER				
	RECEIVING BLDG 499 10TH STREET AND K AVENUE				
	TEXARKANA TX 75507-5000				
	CONTRACT/DELIVERY ORDER NUMBER SP0700-99-D-9727/BR29				
	BIOTOG 35 B STETTERES				
	DELIVERY ACCELERATION IS AUTHORIZED PROVIDED				
	THERE IS NO ADDITIONAL COST TO THE GOVERNMENT.				
	PARTIAL SHIPMENTS ARE AUTHORIZED AND ENCOURAGED.				
	(End of narrative F002)				

Reference No. of Document Being Continued

PIIN/SIIN SP0700-99-D-9727/BR29

MOD/AMD

Page 5 of 8

Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET

PACKAGING AND MARKING

1

Regulatory Cite	Title	Date
52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	JUN/2004

- (a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: A
 - (3) QUANTITY PER UNIT PACKAGE: 001
 - (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK12802961
 - (a) REVISION 3
 - (b) DATE OF REVISION 5 Apr 93
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: https://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (https://milpac.com/) and Easysoft Corporation (https://easysoftcorp.com/). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet

Reference No. of Document Being Continued

PIIN/SIIN SP0700-99-D-9727/BR29

MOD/AMD

Page 6 of 8

Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET

manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

- (e) Hazardous Materials(As applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.
 - (f) SUPPLEMENTAL INSTRUCTIONS: The Special Packaging Instruction mentioned above is attached.

[End of Clause]

CONTINUATION SHEET				Refe	Page 7 of 8					
				PIIN/SIIN SP0700-99-D-9727/BR29			MOD/AMD			
Name	Name of Offeror or Contractor: CUMMINS ENGINE COMPANY AFTERMARKET									
CONTRAC	T ADMINISTRA	TION DATA								
LINE <u>ITEM</u>	PRON/ AMS CD/ MIPR	OBLG <u>ACRN</u> STAT	ACCOUNTING	CLASSIFICATION			JOB ORDER <u>NUMBER</u>	ACCOUNT:	ING	OBLIGATED <u>AMOUNT</u>
0001AA	EH4Y7081EH 060011	AA 2	97 X4930A	C9D 6D	26KB	S20113		W56HZV	\$	2,050,000.00
								TOTAL	\$	2,050,000.00
SERVICE NAME Army		L BY ACRN AA	ACCOUNTING 97 X4930A	CLASSIFICATION C9D 6D	26KB	S20113	ACCOUI STATIO W56HZ	ON	\$_	OBLIGATED AMOUNT 2,050,000.00

TOTAL \$ 2,050,000.00

CONTINUATION CHEET	Reference 110. of Document Den	ng Continucu		rage out o
CONTINUATION SHEET	PIIN/SIIN SP0700-99-D-9727/BR29	MOD/AMD		
Name of Offeror or Contractor: CUMMIN	S ENGINE COMPANY AFTERMARKET			
LIST OF ATTACHMENTS				
List of			Number	
Addenda	Title	Date	of Pages	Transmitted By

Attachment 001 SPI AK12802961

Reference No. of Document Being Continued

05-APR-2003

004

Page 8 of 8

DATA